


Introduction

Every campaign needs a recipient group to work. The recipient group are the users who receive the attack simulation or awareness content. You can create multiple groups for a single campaign. Groups can be used within LUCY to target users with specific phishing or training campaigns. Many organizations start by grouping users by department, location (if you have multiple office locations), or even domains (if there are multiple domains). The recipients can be in any number of groups and you can set up an unlimited number of groups.

How to Enter Your Recipients?

Recipients and groups can be configured under Admin/Recipients.



You can either add them manually (1), import them (2) or search the internet by using the "[SCAN FEATURE](#)" (3). The groups are always defined globally and you can re-use them among different campaigns.



We recommend importing them because it will enable you to create a custom text file with additional information about each target user (e.g. defining the division or location where they work). This information can later be used for automatic analysis and statistics. The more information you provide, the better.

Note: Searching the internet without a Bing or Google API won't get you the same results as if you searched directly with a search engine.

Import Recipients

You can import the recipients via file or via [LDAP](#). There is no restriction on the number of recipients you can add to a group (even though your license might restrict the sending of all mails).

SYNTAX: LUCY requires a [special syntax](#). Otherwise it will throw an error. In LUCY version > 3.1 it will continue the import with the correct recipients. In an awareness or phishing campaign which is send via email, it will need at least the mail address as a mandatory field. All other fields are voluntary.

The import file should contain one recipient per line. Each record should consist of 1 to 7 columns separated by the colon symbol (:). All columns, except for the first one, are optional. If you want to skip the column value, just don't type anything between columns separators (:). You can skip the columns at the end of the record - for example, if you have only Email and Name, you can just specify these 2 columns. The email address is mandatory for the Recipient list. All other fields (like Name) are compulsory. If you want to send a personalized email (using the %name% variable within the email or landing page) you need to define the Name field too. The possible columns are:

- 1.Email - Recipient's e-mail address
- 2.Name - Recipient's name
- 3.Staff - Job position or related
- 4.Location - Recipient's location
- 5.Division - Company division
- 6.Comment - Any custom comment
- 7.Link - Unique link part for the Landing Page. Only use this if access to the internet by clicking on a link in an email is not possible (e.g. if you use some terminal client or a separate browser to access the internet). More information about this can be found [here](#).
- 8.Phone - recipient phone number
- 9.Language - recipient language

Note about language: if you upload a recipient group file (txt or CSV) and want to specify the language you need to use the English description (example "spanish").

FILE FORMAT: You can import a plain text file (.txt) or -csv format and name it as you want.

EXAMPLE: Your CSV or TXT file should look something like this:

```
john@example.com:John Doe:senior consultant:new york:accounting marcus@aurelius.com:Marcus  
Aurelius peter@example sarah@example:Sarah::boston
```

Lucy

Campaigns

Recipients

Sessions


Incidents

Settings ▾

Support ▾

Status

Tools ▾



Home / Recipients / Lucy / testrecipient@lucysecurity.com

Lucy

Recipients


Edit Group Name

Import


Scan

LDAP Import Settings


Email

testrecipient@lucysecurity.com 


Phone



Language

N/A ▾ 

Full Name

Test Recipient 


First Name

Last Name


Gender

Please select... ▾


Staff Type




Location




Division



Link



Comment



Save

Adding multiple groups in a campaign and associating them with a scenario

LUCY allows you to add multiple groups in one campaign. After you added a group, you will be asked to define:

1. mapping (1)
2. scenario (2)

Search

<input checked="" type="checkbox"/>	E-mail/Phone	Name	Language	Staff	Location	Division	Comment	Last Tested
<input checked="" type="checkbox"/>	oliver@muenchow.ch	Oliver Muenchow	N/A	N/A	switzerland	N/A	N/A	05/31/2018
<input checked="" type="checkbox"/>	oliver@lucysecurity.com	Oliver	N/A	N/A	N/A	N/A	N/A	05/31/2018
<input checked="" type="checkbox"/>	info@kaduu.ch	Kaduu	N/A	N/A	N/A	N/A	N/A	05/31/2018
<input checked="" type="checkbox"/>	oliver@kunstwarenhaus.ch	Oliver Muenchow	N/A	N/A	Switzerland	N/A	N/A	05/31/2018

Mapping

Scenarios ☐ Select All ☒ scenario (Web Based) ☐ sdsd (Mixed)

The default mapping is "campaign and awareness". This means the user group will receive the phishing simulation and if configured, also the learning content. If you wish, you can limit the mapping to "awareness only" or "campaign only". If you for example configure "campaign only", the according group would only get the attack simulation, but no learning.

The scenario association can be used to control, which group gets which attack scenario. In the screenshot you see (2) that all the available scenarios added to the campaign will be displayed. Example: If you select 2 scenarios with a specific group, each user from this group will get two emails (one from scenario 1 and one from scenario 2). If you don't want the users to get multiple emails, you can enable the checkbox "Distribute users over selected scenarios". Lucy will then randomly split the users over the selected scenarios. Every user will get a unique single attack and no user will be attacked with the same scenario twice. If you want to control the distribution of receivers even more deeply, you would have to create a [scheduler rule](#). This allows the distribution to be even more complex.

Adding recipients to a running campaign

In LUCY you can add recipients to a running campaign. Please [click here](#) to read more.

Automatic adding of recipients in a group (LDAP SYNC)

You can add your recipients by LDAP server. How to setup LDAP you can find here [LDAP Integration](#).



Note, this configuration will not be active if there are global settings for recipients import disabled.

Home / Recipients / Lucy / LDAP Import Settings

Lucy

[Recipients](#)
[Edit Group Name](#)
[Import](#)
[Scan](#)
[LDAP Import Settings](#)

☒ Autoupdate LDAP Recipients

LDAP Search Filter

Base DN	Filter	Comment
Base DN	Filter	Comment
Base DN	Filter	Comment

[+Add](#)
[Save](#)

Recipient group associations

If you have multiple recipient groups with the same name (this can happen if you, for example, copy a campaign with recipients), use this procedure to find the correct group/campaign association:

Step 1: Go to your campaign under "recipients" Step 2: Click on the recipient link to get to the associated group Step 3: Rename your group in order to identify it better

As an alternative you can also hover over the link and look at the group ID. When you hover over the groups within the generic recipient settings, you will see also the corresponding ID's.

Max1 (copy) Campaign Status: Not Started [+ Add Group](#) [X Delete](#)

Results

Search...

Name	Scenario	Mapping	Recipients
C-Level Company X	Max1 - Scenario	Campaign + Awareness	3

< 1 > </admin/recipient/230> 100

Configuration

[Base Settings](#)
[Awareness Settings](#)
[Schedule](#)
[Recipients](#)

Language considerations

LUCY is able to deal with multiple languages within the same recipient group. It is not necessary to define different groups for each language. Please consult [this section](#) for more information.

Identify recipients that have been already tested

LUCY allows you to identify recipients that have been previously tested. If you click on the recipient group details you will notice that there is a column called "already tested" which shows you the last date this user has been tested.

The screenshot shows the 'Lucy Test 1' interface. At the top, there's a breadcrumb trail: Home / Recipients / Lucy Test 1. Below this, there's a search bar with the text 'Search by recipient name, email, phone, staff type, location, division or comment' and buttons for 'Search' and 'Reset'. To the left of the search bar is a sidebar with options: 'Recipients' (selected), 'Edit Group Name', 'Import', 'Scan', and 'LDAP Import Settings'. Above the search bar are buttons for 'Export to CSV', '+ New Recipient', 'Copy', and 'Delete'. The main area contains a table with the following columns: Email/Phone, Full Name, Language, Staff, Location, Division, Comment, and Last Tested. The 'Last Tested' column is highlighted with a red box. The table has two rows of data:

<input type="checkbox"/>	Email/Phone	Full Name	Language	Staff	Location	Division	Comment	Last Tested
<input type="checkbox"/>	[redacted]	Lucy Test	N/A	N/A	N/A	N/A	N/A	N/A
<input type="checkbox"/>	[redacted]	Lucy Support	N/A	N/A	N/A	N/A	N/A	20.06.2020

At the bottom right, there's a pagination control showing '10'.

Filter Recipients

After importing your mail recipients you will see a search field that allows you to search & filter specific emails in your list:

The screenshot shows the 'LHCF' interface. At the top, there's a breadcrumb trail: Home / Campaigns / LHCF / Recipients / Add Group. Below this, there's a 'Campaign Status: Not Started' indicator. The main area contains a search bar with the text 'Search by recipient name, email, phone, staff type, location, d' and buttons for 'Search' and 'Reset'. To the left of the search bar is a sidebar with options: 'Summary', 'User Settings', 'Statistics', 'Recipients' (selected), 'Base Settings', 'Schedule', 'Awareness', 'Reports', 'Message Log', and 'Errors'. Above the search bar is a 'Group' dropdown menu with 'test' selected. Below the search bar is a table with the following columns: E-mail/Phone, Name, Language, Staff, Location, Division, Comment, and Last Tested. The table has three rows of data, each with a checkbox in the first column:


<input checked="" type="checkbox"/>	E-mail/Phone	Name	Language	Staff	Location	Division	Comment	Last Tested
<input checked="" type="checkbox"/>	oliver@muenchow.ch	Oliver	N/A	N/A	N/A	N/A	N/A	Invalid Date
<input checked="" type="checkbox"/>	info@phishing-server.com	asdasd	N/A	N/A	N/A	N/A	N/A	Invalid Date
<input checked="" type="checkbox"/>	oliver@lucysecurity.com	sddf	N/A	N/A	N/A	N/A	N/A	Invalid Date

Below the table, there's a 'Mapping' dropdown menu with 'Campaign + Awareness' selected. At the bottom, there's a 'Scenarios' section with a checkbox for 'LHCF DOWNLOAD' and a 'Save' button.

Copyright © 2016 Lucy 3.0
All Rights Reserved


Disable recipients from a group within a campaign

You can load a group into LUCY and then uncheck users, you don't want to test or train in this specific campaign. Just click on the according checkbox:




Recipient actions within a running campaign

Under the statistics/recipient tab you will have a table view of all recipients used in a campaign. In the last column you can (1) re-send an attack to a specific user, (2) edit the users detail or (3) remove the user stats from the specific campaign:



Copy Recipients

LUCY allows you to copy one or multiple recipients from one group to another group (new or existing).



Import Error-Log

LUCY will create an import error log which will help you to quickly identify import errors with mail addresses that had a syntax error. For LUCY please [click here](#). Please note that LUCY cannot handle wrong syntax. Also don't use header lines. Duplicate or wrong entries will not be imported.

Dummy Random Long

[Recipients](#)
[Edit Group Name](#)
[Import](#)
[Scan](#)

2 errors occurred during the import:

Error on line 16: e-mail '138phishing-services.com' is not a valid email address.
Error on line 17: e-mail '139phishing-services.com' is not a valid email address.

Custom Recipient Fields

In LUCY you have the ability to create custom recipient fields. You can add any new recipient attribute you want (e.g. city, gender, education etc.). Those attributes can be used for using customized statistics in LUCY (dashboard filters or raw exports).

In order to create a new custom field go to recipients. Under the recipient link you will find the "custom field" link:

LUCY Campaigns **Recipients** Sessions Incidents Settings + Support + Status Account Logout

[Home](#) / [Recipients](#)

1 new templates available! [Download](#)

Recipients

[Recipients](#)
[Custom Fields](#)

Group	Recipients	
<input type="checkbox"/> Language Test	2	✕
<input type="checkbox"/> SMSIHING	2	✕
<input type="checkbox"/> TEST IMPORT	1	✕

The new recipient attribute (can be freely chosen) is then added as a new attribute in the recipient list:

Custom Fields

[Recipients](#)
[Custom Fields](#)

✕ ✕
[Save](#)

2017 by LUCY Security

test

Recipients

Edit Group Name

Import

Scan

E-mail

Phone

Language N/A

Name

Staff Type

Location

Division

Link

Comment

BoardMember

Save

E-Mail Scanning Feature (E-Mail Spider)

Under the recipient tab you find an option to scan for mail addresses in the internet.

The collected results may differ from what you see in the search results.

Domain lucysecurity.com

☐ Crawler

☐ Yahoo

☐ Lixam

☐ Wotbox

☐ Yandex

☐ Bing

☐ Public Key Servers

☐ Additional Sources


☐ Paid Sources

Start

We use different sources like Bing or Google.

Analysis of the campaign based on recipient attributes

All attributes defined within the Recipient group can be analyzed within the campaign statistics or data exports:



From:

<https://wiki.lucysecurity.com/> - LUCY

Permanent link:

https://wiki.lucysecurity.com/doku.php?id=add_mail_recipients&rev=1579540606

Last update: **2020/01/20 18:16**

