

Background info

Data anonymization is a type of information sanitization whose intent is privacy protection. It is the process of either encrypting or removing personally identifiable information from data sets, so that the people whom the data describe remain anonymous. This is required by law in different countries.

Anonymisation of personal data within a campaign

Within a campaign you can enable anonymous mode in the according scenario settings:

The screenshot displays the 'test' scenario settings in the Lucy security interface. The 'Scenario Status' is 'Running'. The left sidebar contains navigation links: Summary, Scenario Settings (selected), Mail Settings, SSL Settings, Message Template, and Errors. The main settings area includes:

- Template:** Cisco WebEx Meeting (Version v. 2.1) / English, with a 'Change/Select Template' button.
- Name:** test
- Landing Domain:** Local IP (dropdown menu). A note states: 'Note: currently there are no domains configured in Lucy. You can point your existing domain to this server and save the domain [here](#) or you can start the [Lucy Domain Registration Wizard](#)'.
- Custom Domain:** 192.168.1.147
- Languages:** English (dropdown menu) with an 'Add' button.
- Anonymous Mode:** A checkbox that is currently unchecked and is highlighted with a red box.
- Track Opened Emails:** A checkbox that is currently unchecked.
- Send Link to Awareness Website Automatically:** A checkbox that is currently checked.
- Send Awareness By Click Rate:** A percentage input field.
- Send Awareness By Success Rate:** A percentage input field.
- Awareness Delay:** A numeric input field set to 0.

Please note that this operation cannot be undone!

The personal information is then no longer visible:

If you also want to anonymize additional statistical data (browser, IP, etc.), you can set this in the advanced settings:

Date & Time	<input type="text" value="15.11.2018 14:11"/>	
Time Zone	<input type="text" value="Zurich - UTC+01:00"/>	
Date Format	<input type="text" value="15.11.2018"/>	
<input type="checkbox"/> Use Proxy		

Password Settings	<input type="checkbox"/> Set User Password Policy	
Rotation Period	<input type="text" value="Off"/>	
Bruteforce Protection	<input type="checkbox"/> Enable Security Image	
2FA Key	<input type="text"/>	

<input checked="" type="checkbox"/> Enable Ajax Updating		
Ajax Update Period (seconds)	<input type="text" value="5"/>	
Export Data Separator	<input type="text" value="Tab"/>	
Export Double Quotes	<input type="checkbox"/> Enclose In Double Quotes	
Campaign Approval Period (days)	<input type="text" value="5"/>	
Spam Test	<input type="checkbox"/> Use Full Blacklist	
Recipients	<input type="checkbox"/> Generate Short Recipient Links	
Let's Encrypt	<input type="checkbox"/> Autorenew	

Campaigns	<input type="checkbox"/> Disable Campaign Checks	
Benchmark Sharing	<input type="checkbox"/> Send Anonymous Benchmark Data	
	<input checked="" type="checkbox"/> Don't ask to send Anonymous Benchmark Data	
Anonymous settings	<input type="checkbox"/> Anonymize Recipient Identical Data (browser, OS, location)	

From:
<https://wiki.lucysecurity.com/> - LUCY

Permanent link:
<https://wiki.lucysecurity.com/doku.php?id=anonymisation&rev=1542288248>

Last update: **2019/07/25 12:51**



