

Automated Backup

Starting from Lucy 4.6 has been added the ability to create and configure automatic backups. The administrator can configure automatic backups that are performed to a local directory

/opt/phishing/files/db-backups

The Automated Backup Settings is available under the Settings menu:

The screenshot shows the Lucy Security AG settings interface. The 'Settings' menu is open, displaying a list of configuration options. The 'Automated Backup Settings' option is highlighted with a red rectangle. The background shows the 'Automated Backup' settings page with fields for Backup Target (DB), Backup Frequency (Month), Backup Time (01:30), and Backup Days (1). A 'Save' button is visible at the bottom of the settings form. The footer of the page reads 'Copyright © 2020 Lucy Security AG All Rights Reserved'.

Settings

- Templates
- Benchmark Sectors
- Domains
- Dynamic DNS
- Adapt Authoring Toolkit
- Recipients
- Clients
- End Users
- Administrative Users
- Reputation Levels
- Incident Settings
- Firewall
- Web Proxy
- Mail Settings
- SMTP Servers
- SSL Settings
- SMS Settings
- LDAP Settings
- API Whitelist
- SSO Configuration
- Automated Response Detection
- Automated Backup Settings**

Automated Backup Settings

- **Backup Target**

You can select which components of the system should be backed up. Click "Deselect All" to turn off the backup task:

[Home](#) / Automated Backup

Automated Backup Settings

Backup Target

DB, Files, Rainloop, Config, (▼)

Select All

Deselect All

DB



Files



Rainloop



Config



Code



Save

Backup Frequency

Backup Time

Backup Days

1. Database - creates an SQL dump of the whole Lucy database;
2. Files - creates an archived copy of the folder "/opt/phishing/files" that contain campaigns data, templates and etc. (it is recommended to use with Database);
3. Rainloop - creates an archived copy of settings and all folders of the Mail Manager;
4. Config - creates an archived copy of Lucy's configuration files (web server, mail server and etc.);
5. Code - creates an archived copy of Lucy's source code and executables.

• Backup Frequency

The frequency of running the backup tasks can be set to various intervals:

1. Daily
2. Weekly
3. Monthly
4. Yearly

[Home](#) / Automated Backup

Automated Backup Settings

Backup Target

DB, Files, Rainloop, Config, (▼)

Backup Frequency

Monthly ▼

Backup Time

Daily

Weekly

Monthly

Yearly

Backup Days

Save

- **Backup Time**

You can choose a convenient time for you to create a backup. We recommend choosing night hours to evenly load Lucy server resources.

- **Backup Days**

Days of week or month: 1-7 for weekly, 1-31 for monthly. Days of the year: 1-12 (month numbers); 1-31 (days of the month) for yearly.

- Example for weekly: 1,3,5,7
- Example for monthly: 1, 15, 25
- Example for yearly: 1,3,5,7; 1,15

Automated Backup Settings


Backup Target

DB, Files, Rainloop, Config, (▼)


Backup Frequency

Monthly ▼

Backup Time

00:10 

Backup Days

1,15,25 

Save

From:

<https://wiki.lucysecurity.com/> - LUCY

Permanent link:

https://wiki.lucysecurity.com/doku.php?id=automated_backup&rev=1563282097

Last update:

2019/07/25 12:51

