LUCY allows you to create file that can be stored on removable media devices (CD, USB, DVD, SD Card etc.). The most popular is an attack using USB sticks. But keep in mind that this template works for all other variations of removable media types as well.

Background Info about Portable Media Attacks

At the moment, there are three popular methods that malicious applications use to infect USB flash drives:

Simple file copy method: With this method, a malicious application that is installed on an infected computer simply makes copies of itself to all storage devices that are attached to the infected computer. With this method, a malicious file is often named with a sensational filename to lure a victim into launching the file and causing malicious code to be executed. Quite often there are familiar file icons such as Microsoft Windows icons for videos and images that are used to trick unsuspecting victims into thinking that an executable file is a harmless image or video. This infection method requires that the victim manually execute the malicious file from their computer to become infected.

AutoRun.inf modification method: Microsoft Windows and some other operating systems have a functionality that is called "AutoRun" (sometimes also referred to as Autoplay). AutoRun functionality is basically designed to perform some actions that are automatically executed when removable media is inserted or removed from a computer. On Microsoft Windows platforms, "autorun.inf" is the file that contains instructions for the AutoRun functionality. The autorun.inf file can instruct AutoRun to use a certain type of icon; add menu commands; and among other things, start an executable. With this infection method, the malicious application modifies or creates an autorun.inf file on all of the network shares, local drives, and removable media (including USB flash drives) that are connected to the computer. When an infected USB flash drive is inserted into another computer, the copy of the malicious application is automatically executed. Under a default configuration of Windows, this infection method does not require any interaction from the victim other than physically attaching the media to the computer.

Reprogramming USB peripherals. To turn one device type into another, USB controller chips in peripherals need to be reprogrammed. Very widely spread USB controller chips, including those in thumb drives, have no protection from such reprogramming.

BadUSB - Turning devices evil: Once reprogrammed, benign devices can turn malicious in many ways, including:

- 1.A device can emulate a keyboard and issue commands on behalf of the logged-in user, for example to exfiltrate files or install malware. Such malware, in turn, can infect the controller chips of other USB devices connected to the computer.
- 2.The device can also spoof a network card and change the computer's DNS setting to redirect traffic.
- 3.A modified thumb drive or external hard disk can when it detects that the computer is starting up boot a small virus, which infects the computer's operating system prior to boot.

Our Portable Media Attack Approach

With LUCY we provide a template for the "Simple file copy method". As mentioned before this

infection method requires that the victim manually execute the malicious file from their computer to become infected. So you have to lure a victim into launching the file and causing malicious code to be executed (e.g. just copy the file with an interesting file name on an USB stick and place them in spots where they will be picked up by other users).

Setup

In order to create an Portable Media Attack scenario go through the following steps:

• Start a new campaign and add a scenario called "Portable Media Attack" . If you don't have this scenario among your templates then please download it using the "download" button in the template section.

Search		۹ 🔳	List View 👪 Grid View	Name -	Clear	Filters
	The most popular is an attack	using USB sticks. B	on removable media devices (CD, it this template works for all other io type here: https://goo.gi/eg///zo.	variations of removable	Portable Media Category +	Audience +
-						

• Give the scenario a name and pick a domain or IP address (this is the domain or IP which is used upon execution: the malware simulation will send the data back to this host)

Summary	Template	Portable Media Attack / 🔤 English 🧉 Change/Select Temp	plate
Scenario Settings	Name	Portable Media Attack	
SSL Settings	Landing Domain	Local IP	~
File Template	Custom Domain	192.168.25.128	•
		Generate ISO Images	
		Anonymous Mode 9	
		Save	

 Next configure the File template. This template defines what malware simulation should be running upon execution of the file on the Portable Media Device. Make sure you have the latest malware simulations installed in LUCY. You can download the malware simulations using the "download" button in the template section.

2024/04/20 06:4	4	3/7		Background Info about Portable	e Media Attacks
U	ISB attack	Scenario Status: Not Started	•	O Download Files	
	Summary	Attachment Settin	gs		
	Scenario Settings	Tempiate	Console Post	~	
	File Template	Description	Get output from one or multiple console programs. Dis - Progress Bar, 2 - Decryptor Window, 3 or 4 - Error Me	play GUI option may have a value of 0 to 4: 0 - no GUI, 1 essage Window.	
		Variables	Commands	ipconfig.whoami	
			Display GUI (0-4)	1	
			Text Message	Exection Error XYZ	
			Save		

• Now its time to create the USB recipients. Go to "recipients", create a new group and make sure you select "Portable Media Attack". Then define how many USB sticks you plane to use.

	Lucy	Campaigns	Recipients	Sessions	Incidents	Settings +	Support +	Status	Tools ¥	1.	
	Home / Recipier	ts / New Group									
Ν	New Gro	oup									
[New Group			Name er of items USB sticks, CDs)	_	Media Attack (_)	
Yo	our copyright goes	here									

• In the last step you need to add the recipients to the campaign and go back into the base settings of your scenario and download the according malware simulations. Once you started the campaign LUCY will wait for incoming requests from executed files.

SB attack	s: Not Started	Download File
Summary	\frown	\frown
Scenario Settings	4	› (°) ›
File Template		. 0.
	Highcharts	Lom Highchars.com

What are the requirements for an USB stick to report back to LUCY?

In order to for the USB stick to report back to LUCY the following requirements must be met:

a) The file (exe) on the stick needs to be executed* b) The computer where the file on the USB stick gets executed needs access to the internet c) LUCY must be reachable from the internet (with the IP or domain name configured in the USB campaign) d) The campaign must be running

*You could also purchase USB sticks that will emulate an external hardware (like keyboard) and execute the file automatically when attached to a computer (http://hakshop.myshopify.com/products/usb-rubber-ducky-deluxe)

Important Questions

- Does it need admin rights to execute the files? No to execute the malware simulations it does not need admin rights. The standard windows user rights will do.
- Can I only place an executable on the USB? No you can place any type of malware simulation on the USB (.exe, doc with Macro, archived format etc.)
- How can I get the users to execute the file? You could use simple social engineering techniques and just place some sticks in a public area, rename the executable to something like "decrypt_accounts.exe" (if you choose for example the malware simulation with the screenshot & webcam tool it will show you some fake decryption GUI upon execution)
- How do I know if users executed the files? The moment the files get executed and the user has internet access the data will be transferred back to LUCY using the build in browser.
- Will the tool get detected by an AV? No this should not happen (please let us know if this occurs)
- Will the tool be able to bypass USB filters or windows security settings (like UAC)? No if you don't allow files from an USB drive to be executed this won't work.

Create an Attack with CD & DVD's

LUCY > 3.1 offers the administrator to create also .ISO images which can be used to burn a CD or DVD. Most CD-ROM burning applications recognize this type of image file. Once the ISO file is burned as an image, then the new CD/DVD is a clone of the original and bootable.

To create an attack with .ISO image you first need to create the according group within the recipient (make sure you enable the checkbox "portable media attack"):

2024/04/20 06:44	5/7				Backg	ground Info ab	out Portabl	le Media Attacks
47.5		-	****	-		Settings 👻	tagged a	-
Home / Rec	ipients / New Group					Templates		
						Benchmark Se	ctors	
New G	Group					Domains		
New Croup		Name	Portable	Media Attack G	roup	Dynamic DNS		
New Group			Portable	Media Attack	9	Adapt Authorin	g Toolkit	
		Number of items	4			Recipients		
		(USB sticks, CDs)	-		_	Clients End Users		-
		608)	Raus			Administrative	Users	
			Save			Reputation Le	ala	

Next, after you selected a template like the Portable Media Attack scenario, you need to make sure that within the scenario settings you enable the checkbox "generate ISO images":

lew Scenario			
New Scenario	Template	Portable Media Attack / 🚾 English 🛛 🕸 Change/Select Template	
	Name	Portable Media Attack (ISO)	
	Landing Domain	Local IP 🗸 🗸	
	Custom Domain	192.168.25.128	
		☑ Generate ISO images ●	
		Anonymous Mode	
		Save	

After configuring the remaining scenario settings you can add the recipient group which you created for the portable media attack to your scenario. You should see a screen similar to the following example:

USB test ca	Campaign S	itatus: Not S	Started							
Results		Group	Portable Med	la Attack Group			~			
Summary		Search	Search by rec	pient name, email,	phone, sta	ff type, locatio	n, +			
Statistics			A search	U Nebel						
Reports	2	iame								
Exports	2 1	8f80a30e0	@domain.tid/+11	111111111 File 4	NA	N/A	N/A	N/A	N/A	N/A
Configuration	2	4e4105116	e@domain.tld/+11	111111111 File 3	NA	NA	N/A	N/A	N/A	N/A
Base Settings		65937d6c1	1@domain.8d/+11	File 2	NA	NA	NA	N/A	N/A	NA
Recipients	23	39414546	3@domain.tid/+11	111111111 File 1	NA	N/A	N/A	N/A	N/A.	NIA
Advanced Settings	¢									•
User Settings										10 ~
Custom Fields	м	apping	Campaign +	Awareness			2			
Logs			Distribute us	ers over selected s	cenarios.		0			
Supervision Log	Sce	narios	Select All	la Attack (ISO) (Po						

Once you started the campaign LUCY will wait for incoming requests from executed files.

Here is also a quick tutorial on how to burn a bootable ISO image on different operating systems:

Windows 8/8.1/10

- 1. Download the ISO CD image to a folder on your computer.
- 2. Open the folder where you have saved the ISO file.
- 3. Right click on the .iso file.
- 4. From the menu select Burn disc image.
- 5. The Windows Disc Image Burn will open.
- 6. Select the Disc burner.
- 7. Click on Burn.

Windows 7/Vista

- 1. Download the ISO CD image to a folder on your computer.
- 2. Insert a blank CD in your CD-RW drive.
- 3. Navigate to the folder where you saved the file.
- 4. Click to highlight the file (Windows 7/Vista) and/or right-click on the file (Windows 7 only) to see the options for creating a disc.

MacOS

- 1. Download the file .ISO file to your Mac
- 2. Insert a blank disc.
- 3. From the Desktop, click on Utilities (or in some cases, Applications, and then Utilities).
- 4. Launch Disk Utility.
- 5. From the File menu, choose Open Disk Image.
- 6. Select the ISO image to be burned.

- 7. In the list of volumes, you will now see an item representing the ISO file. Select it.
- 8. Click the Burn icon.
- 9. A Select Image to Burn window will appear.
- 10. Select the .iso file you want to burn to a CD/DVD.
- 11. Make sure you have a disc inserted in your drive and then click the Burn.
- 12. A Disk Utility window will appear showing the recording progress.
- 13. Once the recording process has completed, Disk Utility will verify that the image was burned correctly.
- 14. Click OK to eject the disc.

From:

https://wiki.lucysecurity.com/ - LUCY

Permanent link:

https://wiki.lucysecurity.com/doku.php?id=create_a_campaign_with_portable_media_devices&rev=1545737611

Last update: 2019/07/25 12:51