


Lucy comes with various log files that can be accessed through the web gui. Here are a few examples:

## System Logs (Apache Error Log, Apache Access Log & Postfix Mail Log)


The system logs can be found under admin/help/servicelogs within the web gui.



## Application Logs (Lucy specific logs)

Within the [send log function](#) (admin/help/logs) you have a download button that allows you to


download all LUCY related log files.



- Lucy Core Application Logs
- BeEf Status & Error Logs
- Console Logs
- Rescue System & Worker Logs
- Scheduler Logs
- System Monitoring Logs

Campaign Logs

Within the campaign you can use the dashboard with its [campaign monitoring](#) to track all activities or use the [reporting](#) to export the campaign data. Other than that you have as well some campaign specific error logs you can access:



- Message log: contains all messages that have been successfully transmitted by LUCY
- Error log: contains all errors related to the campaign specific message transmission

## Status logs

Under /admin/help/status LUCY keeps track of all user activities. You can filter for a specific date range. Each activity has a link. Details are visible when you click on the link. Example:

Home / Status

Status

Export

Clear

Time	Message	User
<a href="#">05.04.2019 23:13:36</a>	1 Users Logged in	default@user.com
<a href="#">05.04.2019 22:25:50</a>	1 Users Logged out	default@user.com
<a href="#">03.04.2019 18:25:50 - 04.04.2019 14:15:22</a>	3 Users Logged in	Julia Fischer (ginger@user.com)
<a href="#">03.04.2019 14:58:14 - 05.04.2019 22:18:47</a>	5 Users Logged in	default@user.com
<a href="#">03.04.2019 14:35:27</a>	1 Users Logged out	default@user.com
<a href="#">03.04.2019 09:01:23 - 03.04.2019 14:04:20</a>	6 Users Logged in	default@user.com
<a href="#">03.04.2019 08:21:11</a>	1 Messages Sent	System
<a href="#">03.04.2019 08:11:52</a>	1 Campaigns Added	default@user.com
<a href="#">02.04.2019 20:35:53 - 03.04.2019 08:09:49</a>	2 Users Logged in	default@user.com
<a href="#">02.04.2019 16:45:38</a>	1 Campaigns Added	default@user.com
<a href="#">02.04.2019 09:44:41 - 02.04.2019 16:44:03</a>	4 Users Logged in	default@user.com
<a href="#">02.04.2019 09:39:40</a>	1 Users Logged out	default@user.com
<a href="#">02.04.2019 07:53:43 - 02.04.2019 07:56:20</a>	2 Users Logged in	default@user.com
<a href="#">01.04.2019 15:44:45</a>	1 Users Logged out	default@user.com

Filter

Type

All

From

05.04.2019

To

05.04.2019

Update

Current User

Name	N/A
Email	default@user.com
Phone	+41783637211
Role	Administrator

Home / Status /

Status

Clear

Time	Message	User
<a href="#">29.03.2019 20:56:34</a>	Demo: campaign deleted	System
<a href="#">29.03.2019 20:56:34</a>	encl email: campaign deleted	System
<a href="#">29.03.2019 20:56:34</a>	phish-szenario: campaign deleted	System
<a href="#">29.03.2019 20:56:34</a>	test 1: campaign deleted	System

1

100

Current User

Name	N/A
Email	default@user.com
Phone	+41783637211
Role	Administrator

## Mail communication logs when using external mail server (mail relay)

Communication with an external mail server is logged to the /opt/phishing/runtime/resque\_worker.log. If there were any errors, they are displayed in more or less details.

Example 1 of communication error:

```
[notice] [11:55:05 2019-06-27] (Job{worker} | ID: 6064cd8dsdsd396d5b84c3e21d  
| AwarenessCampaignMailJob |  
[{"campaign":154,"id":"phish.campaign.154.awareness"}]) has finished
```

```
Failed to connect to ssl:clientserver.mail.protection.outlook.com:587 [SMTP: Failed to  
connect socket: Connection timed out (code: -1, response: )] #0  
/opt/phishing/versions/4.5/web/protected/jobs/ScenarioChecksJob.php(294):  
MailManager::send('test@phishing.s...', Array, 'phish:9300', Object(CampaignAwareness))  
#1 /opt/phishing/versions/4.5/web/protected/jobs/ScenarioChecksJob.php(881):  
ScenarioChecksJob→_mailCheck(Object(CampaignScenarioCheck)) #2  
/opt/phishing/versions/4.5/web/protected/jobs/ScenarioChecksJob.php(906):  
ScenarioChecksJob→_runCheck('mail_check') Failed to connect to  
ssl:smtp.server.mail.protection.outlook.com:587 [SMTP: Failed to connect socket:  
php_network_getaddresses: getaddrinfo failed: Name or service not known (code: -1,  
response: )] #0 /opt/phishing/versions/4.5/web/protected/jobs/ScenarioChecksJob.php(294):  
MailManager::send('test@phishing.s...', Array, 'phish:8153', Object(CampaignAwareness)) #1  
/opt/phishing/versions/4.5/web/protected/jobs/ScenarioChecksJob.php(881):  
ScenarioChecksJob→_mailCheck(Object(CampaignScenarioCheck)) #2  
/opt/phishing/versions/4.5/web/protected/jobs/ScenarioChecksJob.php(906):  
ScenarioChecksJob→_runCheck('mail_check')
```

## Example 2:

```
[notice] [14:24:29 2019-06-18] Starting work on (Job{worker} | ID:  
ca6254f0362b003ad8b63a6b3c3159d1 | PostfixJob | [{"campaign":114,"id":"phish.smtp.postfix"}])  
[notice] [14:24:31 2019-06-18] (Job{worker} | ID: ca6254f0362b003ad8b63a6b3c3159d1 | PostfixJob  
| [{"campaign":114,"id":"phish.smtp.postfix"}]) has finished [notice] [14:24:31 2019-06-18] Starting  
work on (Job{worker} | ID: 26425557e3b7b740a1476276a1854e34 | AwarenessCampaignMailJob |  
[{"campaign":114,"id":"phish.campaign.114.awareness"}]) PHP Error[8]: Undefined variable:  
php_errormsg in file /usr/share/php/Net/Socket.php at line 196 #0 /usr/share/php/Net/SMTP.php(440):  
Net_Socket→connect() #1 /usr/share/php/Mail/smtp.php(385): Net_SMTP→connect() #2  
/usr/share/php/Mail/smtp.php(271): Mail_smtp→getSMTPObject() #3  
/usr/share/php/Mail/smtp.php(258): Mail_smtp→send_or_fail() #4  
/opt/phishing/versions/4.5/web/protected/components/MailManager.php(131): Mail_smtp→send() #5  
/opt/phishing/versions/4.5/web/protected/components/CampaignAwarenessManager.php(748): send()  
#6 /opt/phishing/versions/4.5/web/protected/components/CampaignAwarenessManager.php(777):  
CampaignAwarenessManager→_prepareAndSendEmail() #7  
/opt/phishing/versions/4.5/web/protected/jobs/AwarenessCampaignMailJob.php(90):  
CampaignAwarenessManager→sendAwarenessEmail() #8  
/opt/phishing/versions/4.5/web/protected/vendor/chrisboulton/php-resque/lib/Resque/Job.php(198):  
AwarenessCampaignMailJob→perform() #9  
/opt/phishing/versions/4.5/web/protected/vendor/chrisboulton/php-  
resque/lib/Resque/Worker.php(243): Resque_Job→perform() #10  
/opt/phishing/versions/4.5/web/protected/vendor/chrisboulton/php-  
resque/lib/Resque/Worker.php(205): Resque_Worker→perform() #11  
/opt/phishing/versions/4.5/web/protected/vendor/bin/resque(127): Resque_Worker→work() #12  
/opt/phishing/versions/4.5/web/protected/commands/ResqueCommand.php(28): include() #13  
/opt/phishing/versions/4.5/web/protected/components/ConsoleCommand.php(93):  
ResqueCommand→runUnlocked() #14  
/opt/phishing/versions/4.5/web/protected/framework/console/CConsoleCommandRunner.php(71):  
ResqueCommand→run() #15
```

```
/opt/phishing/versions/4.5/web/protected/framework/console/CConsoleApplication.php(92):  
CConsoleCommandRunner→run() #16  
/opt/phishing/versions/4.5/web/protected/framework/base/CApplication.php(180):  
CConsoleApplication→processRequest() #17  
/opt/phishing/versions/4.5/web/protected/framework/yiic.php(33): CConsoleApplication→run() #18  
/opt/phishing/versions/4.5/web/protected/yiic.php(13): require_once() #!/usr/bin/env php
```

Successfully sent emails are not logged in details, it is a simple "AwarenessCampaignMailJob" record that indicate the email has been successfully sent:

```
[notice] [14:34:18 2019-06-21] Starting work on (Job{worker} | ID:  
eed90cc4a2048479e59df3353481041f | AwarenessCampaignMailJob |  
[{"campaign":151,"id":"phish.campaign.151.awareness"}]) [notice] [14:34:19 2019-06-21]  
(Job{worker} | ID: eed90cc4a2048479e59df3353481041f | AwarenessCampaignMailJob |  
[{"campaign":151,"id":"phish.campaign.151.awareness"}]) has finished
```

From:

<https://wiki.lucysecurity.com/> - **LUCY**

Permanent link:

[https://wiki.lucysecurity.com/doku.php?id=log\\_files\\_in\\_lucy&rev=1564051796](https://wiki.lucysecurity.com/doku.php?id=log_files_in_lucy&rev=1564051796)

Last update: **2019/07/25 12:49**

