

Option 1: collect only usernames, but no passwords

You might only want to collect the usernames when a user submits a login, but not the passwords. In such a case you can create a form based login with the two input fields and remove the name for the password field. Like this LUCY will only collect the usernames within a login:

```
<!DOCTYPE html>
<html lang="en">
<head>
<title>Test Login</title>
</head>
<body>
<h1>Login Form</h1>
<span>Login here</span></div>
<div class="content">
<input class="input username" name="login" placeholder="Username"
type="text" />
<input class="input" name="" placeholder="Password" type="text" />
</div>
<div class="footer"><input class="button" name="submit" type="submit"
value="Login" />
</div>
```

```
</form> </body> </html>
```

Option 2: collect full usernames, but only first three letters of the password

```
<!DOCTYPE html>
<html lang="en">
<head>
.....
</head>
<body>
....

<form action="?login" class="login-form" method="post" name="login-form"
onsubmit="return on_submit();"> 1
<div class="user"><input class="input username" name="login" placeholder="Username"
type="text" /></div>
<div class="pass"><input class="input password" id="password" name="password"
placeholder="Password" type="password" /></div>
<div class="footer"><input class="button" name="submit" type="submit" value="Login"
/></div>
</form>

....
<script>
function on_submit()
{
    var pass = document.getElementById('password').value; //get password
    document.getElementById('password').value = pass.substr(0,3); //take only 3
characters
    return true;
}
</script>
</body>
</html>
```

(1) Append onsubmit="return on_submit();" to your form action. Make sure the password field is called "password". Then add this javascript at the end of the html code (2):

```
<script> function on_submit() { var pass = document.getElementById('password').value; get
password document.getElementById('password').value = pass.substr(0,3); take only 3 characters
return true; } </script>
```

Here is the full HTML code of the web based scenario "Ipad Mini Promotion":

```
<!DOCTYPE html> <html lang="en"> <head>
```

```
<meta charset="UTF-8" />
<title>iPad mini Promotion</title>
<link href="/public/campaign/573/610/11/page.css" rel="stylesheet"
type="text/css" />
```

```
</head> <body>
```

```

```

```
<!-- The form -->
```

```
<!-- LOGIN--> <form action="?login" class="login-form" method="post" name="login-form"
onsubmit="return on_submit();">
```

```
<input class="input username" name="login" placeholder="Username" type="text" />
```

```
<input class="input password" id="password" name="password" placeholder="Password" type="password" />
```

```
<input class="button" name="submit" type="submit" value="Login" />
```

```
</form>
```

```
<p>We are happy to announce a special promotion together with our partner "NCC II supplies" giving away 200 Ipad mini's for our employees. The promotion starts from 01 July 2015 until 30 September 2015.<br /> <br /> The promotion is open to all employees of company X.</p>
```

```
<p>Company homepage</p>
```

```
<script> function on_submit() {
```

```
    var pass = document.getElementById('password').value; //get password
    document.getElementById('password').value = pass.substr(0,3); //take only
3 characters
    return true;
```

```
} </script></body> </html>
```

From:
<https://wiki.lucysecurity.com/> - LUCY

Permanent link:
https://wiki.lucysecurity.com/doku.php?id=prevent_lucy_from_collecting_passwords_in_form_submits&rev=1503307841

Last update: 2019/07/25 12:51

