

Screener First Time Configuration script


The script does the initial Screener configuration. It automatically starts when the setup is done into a VM. Or it should be started during the docker type installation procedure.

However, it can be started independently for regular installations by:

```
bash /etc/run-setup.sh
```

And for the Docker type of installation:

```
docker exec -it screener /etc/run-setup.sh
```



Automatic Setup

At the first start of the script, you can either let Screener do all the configuration (select "Y") or you can manually configure Screener (select "No"). In case if you choose "Yes" Screener will do the complete setup and won't ask you for further input. Choose "Yes" only if you have DHCP (Dynamic IP Address) enabled. At the end of the automatic setup, you will be given a login and password which you will need to authenticate for the web GUI. In case if you forgot to write down the password, you

can still go into the manual setup and create a new user and a new password.

Manual Setup


STEP 1: "Network Settings"

If you selected "No" in the first menu, you will be asked to configure the network settings (IP address). If you have a DHCP server just choose DHCP. Otherwise, configure your IP address manually. If you selected DHCP it can take a while until the settings are saved since LUCY will also test the connection.

- **Troubleshooting - DHCP fails:** If the DHCP fails to obtain an IP address double check that you have enabled BRIDGED mode - especially if you have installed LUCY within a virtualized environment. Also, make sure that no Firewall is blocking access to the DHCP server on your HOST computer and no MAC restrictions are defined on your WLAN/LAN.

STEP 2: "Users"

At this stage, it is suggested to add a user or to modify an existing one. By default, there is a "user" created already. It is possible to reset its password by choosing the "Modify User" option or adding a new one.



```
screener-ubuntu-20.04-x86_64 [Running]
Subtle Mail Screener Server - First Time Configuration

This script will help you to set up your Subtle Mail Screener Server virtual machine.
All setup steps are mandatory.
You will be able to change these settings later in the main window or over SSH.

Do you wish to use the automatic configuration?

If you choose "yes", the software will try to configure the network and will
leave the default values for domain and user settings. Otherwise, you will
have to enter all settings manually.
M Use automatic configuration? Y or N (Y):
Stopping screener service...
Dropping screener database...
Starting screener service...
Network Configuration (step 1 of 5)

System network configuration: IP address, network mask and gateway.
Please choose one of the following options:

1. Manual Configuration
2. DHCP <-- use this if you don't know what to choose
3. Network Tools

Your choice (1..3):
1
[Manual Network Configuration]
- IP Address (192.168.1.34):
- Network Mask: 255.255.0.0
- Gateway (192.168.1.1):
- Name Server (8.8.8.8):

Saving...
Applying...
Testing connection...
OK

Users (step 2 of 5)

Add / Modify accounts in the system.
Please choose one of the following options (or enter 'q' to quit this menu and enter other configuration settings):

1. Add User
2. Modify User

Your choice (1..2, q - quit this menu and enter other configuration settings):
```

STEP 3: "Linux accounts"

As soon as the user is configured during the manual setup, Screener will generate Linux login data for 2 users, root and screener.

STEP 4: "Login data"

The first-time configuration script shows URL to log in and the Web Interface.

```
screener-ubuntu-20.04-x86_64 [Running]

1. Add User
2. Modify User

Your choice (1..2, q - quit this menu and enter other configuration settings):
2

If you are using a national keyboard, you may enter special symbols using the following key combinations
(AltGr below means "Alt Graph" key to the right of the space bar):
* German (PC): "€" - AltGr+Q
* German (Mac): "€" - Shift+2, "-" - /
* French (PC): "€" - AltGr+0, "-" - 6, "." - Shift+;
* Spanish (PC): "€" - AltGr+2
* Italian (PC): "€" - AltGr+0
* If you have a numeric key pad: "€" - press and hold Alt key + type 064 on a numeric key pad

User Details
* Login: user
* Password: 123

Updating...
Success.

Generate root and user password (step 3 of 5)

Generating new root and user password.
root password: a2t4imrt
screener password: h4mucq19


Configuration Information (step 4 of 5)

Your system has been successfully configured.
IP Address: 192.168.1.34
You can point your external domain (e.g. example.com) to this system's IP address.
This will enable you to access the web based administration of LUCY
via an official domain name (e.g. lucy.example.com).
Please start the manual setup script under 'domain configuration' to create such a domain entry.
As an alternative you can reach the web based administration of LUCY using a internal domain name.
In the automatic setup LUCY will be given the domain 'phish.local' which can be accessed
from your computer by changing the corresponding records on your nameserver or by modifying
the local hosts file on your workstation (C:\WINDOWS\system32\drivers\etc\hosts in Windows,
/etc/hosts in Mac OS X and Linux).

Enter https://192.168.1.34 or https://example.com (in case you created a host or DNS entry)
in your browser to access the system.
Use e-mail address and password specified above to login.
Press enter to continue...
```

STEP 5:

Start using Screener!



From:

<https://wiki.lucysecurity.com/> - **LUCY**

Permanent link:

https://wiki.lucysecurity.com/doku.php?id=screener_first_time_configuration_script

Last update: **2021/04/27 16:49**

