

WITH LUCY, you can carry out multi-stage attacks and start automated or manual, interactive communication with the recipients. Two functions are available for this purpose:

- LUCY Mail Manager
- LURE attack type

Double Barrel Attack

When using Double Barrel Attack, the system first sends a “Lure” email containing some teaser text. After that, the system waits for a while (you can configure that time in settings below) and sends an actual phishing email. The “Lure” delay defines, in seconds, the time frame between the Lure and the attack emails for a Double-Barrel Attack.

To configure the LURE attack, please enable the options in the scenario settings:

Scenario Scenario Status: Running ⏸

Summary
Scenario Settings
Mail Settings
SSL Settings
Landing Page Template
Message Template
Errors

Template Citrix Login / 🇬🇧 English 🔗 Change/Select Template

Name Scenario

Landing Domain cloudspace365.com ?

Subdomain test ?

Languages 🇬🇧 English
+ Add

☒ Anonymous Mode ?

☒ Track Opened Emails ?

☒ Send Link to Awareness Website Automatically ?

Send Awareness By Click Rate % ?

Send Awareness By Success Rate % ?

Awareness Delay ?

☐ Advanced Information Gathering ?


Success Action Data Submit ?

Collect Data Full ?

☒ Double Barrel Attack ?

Lure Delay ?

Once enabled, you can configure the lure template in the settings to the left:



Scenario Scenario Status: Running ⏸

📄 Upload Webpage 🔄 Restore Defaults

Summary

- Scenario Settings
- Landing Page Template
- Message Template
- Lure Template**
- Errors

Quick Tips

- 📖 Email message variables

Message Type Email

Current workstation balance is 9,350 USD.
Make sure you have enough funds to send all text messages before starting the campaign.

Language English


Sender Name


Sender email

☐ Random email

Subject

Content


Source | 

Styles | Format | Font | Size |  | Upload File or Image

You can use the [scheduler](#) to delay the lure and attack template.

Mail Manager

The mail manager allows interactive communication with the recipient. First of all, this type of communication must be activated in the campaign. Please make sure the MX record for the sender email points to LUCY. See [response detection chapter](#).



World Campaign Status: Running ⏸

Results

- Summary
- Statistics
- Reports
- Exports

Configuration

- Base Settings**
- Awareness Settings
- Schedule
- Recipients

Name World

Client Lucy Test

Industry N/A ⓘ

Notes

☐ Enduser Profiles Enabled

☒ **Track Responses** ⓘ

☐ Email Tracking ⓘ

Antivirus/Firewall Protection off ⓘ

You can see email replies in the mail manager which is accessible here:


The screenshot shows the Lucy Security AG web interface. At the top, there is a navigation bar with 'Home / Campaigns' and a 'Support' dropdown. The main heading is 'Campaigns'. Below it is a search bar. A table lists two campaigns: 'Lucy Test' and 'Lucy Phishing Campaign'. To the right, a dropdown menu is open, listing various system management options. The 'Mail Manager' option at the bottom of the menu is highlighted with a red rectangle.

Campaign	Type
<input type="checkbox"/> Lucy Test	!
<input type="checkbox"/> Lucy Phishing Campaign	!

- Status
- Manual
- Changelog
- Test email
- Performance Test
- System Monitoring
- Spam Test
- Backups
- Migration Tool
- Exports
- License
- Tickets
- Invoices
- Update
- Reboot
- SSH Password
- Enable SSH Access
- Send Logs
- Service Logs
- Mail Manager**

Copyright © 2020 Lucy Security AG
All Rights Reserved

The multi-staged interactive communication can then continue within the mail manager:



From:
<https://wiki.lucysecurity.com/> - LUCY

Permanent link:
https://wiki.lucysecurity.com/doku.php?id=mail_manager&rev=1564051796

Last update: 2019/07/25 12:49

